

Product Name	A5	
Electrical Characteristics		
Nominal Voltage	51.2V	
Nominal Capacity	100Ah	
Energy	5,120Wh	
Battery Chemistry	Lithium Iron Phosphate (LFP)	
Impedance	≤0.30m Ω	
Cycle Life	6,000 cycles @77°F(25°C), 0.5C/0.5C	
Operating Voltage	44.8~56.16V	
Communication Interfaces	CAN/RS485/RS232	
Scalable	Up to 12 units	
Charge&Discharge		
Nominal Discharging Rate	0.5C	
Max. Discharging Rate	10	
Nominal Charging Rate	0.5C	
Environmental		
Environment	Indoor(Type 1)	
Operating Temperature	-4°F to 122°F (-20°C to 50°C)	
Storage Temperature	14°F to 113°F (-10°C to 45°C)	
Altitude	Maximum 9,843 ft (3,000 m)	
Cooling Method	Natural Convection	
Ingress Rating	IP20	
Mechanical		
Dimension(L x W x D)	17.7×17.4×5.2in(450*444*133mm)	
Weight	96.5lbs(43.8kG)	

\*The actual product may have slight differences from some promotional videos or pictures. Please refer to the actual product. Unless otherwise specified the data on this page are all from our company's laboratory. The data may have errors due to changes in the objective environment.

\*The specifications are subject to change without prior notice.

Installation

Rack mount